i



The Open Orthopaedics Journal Supplementary Material



Content list available at: https://openorthopaedicsjournal.com

Modular *Xgt uwu* Monoblock Hemiarthroplasty in Trauma: A 5-Year Retrospective Analysis of Radiographic and Clinical Outcomes

Heng Kan^{1,*}, Andrew McBride¹, Andrew McLean¹, William B. O'Callaghan¹, Hussain Ijaz Khan² and Price Gallie^{1,3}

³Menzies Research Centre Queensland, G40 Griffith Health Centre, Level 8.86, Gold Coast campus, Griffith University, Queensland, 4222, Australia

Article History	Received: March 02, 2018	Revised: November 07, 2018	Accepted: November 29, 2018

SUPPLEMENTARY FIGURES AND TABLES

Bland-Altmanplotof Inter-rater Operated.Leg.Length




Fig. (S1). Bland-Altman Plot for inter-rater correlation for 'operated leg length'.

¹Orthopaedic Department, Gold Coast University Hospital, Block A, Level 6, 1 Hospital Boulevard, Southport, Queensland, 4215, Australia

²Menzies Research Centre Tasmania, 17 Liverpool St, Hobart, Tasmania, 7000, Australia

Cumulative Percent Revision of Primary Partial Hip Replacement by Hospital and Type of Hemiarthroplasty




Fig. (S2). Revision rates by hemiarthroplasty implant type in the Gold Coast University Hospital (Adapted from AOANJRR).

Table S1. Pre-morbid mobility levels.

Pre-morbid mobility	Implant type		
	Monoblock	Modular	
Independent	43.7% (52/119)	56.3% (67/119)	
Single-pointed stick	50% (15/30)	50% (15/30)	
Walker/hopper	75% (72/96)	25%(72/96)	
Bed/wheelchair bound	57.1% (8/14)	42.9% (6/14)	

Table S2. Intraclass correlations for inter- and intra-rater reliability.

Measurement	Inter-rater reliability	Reproducibility
Operated leg length	0.708 (0.446, 0.859)	0.988 (0.974, 0.995)
Contralateral leg length	0.831 (0.656, 0.921)	0.986 (0.969, 0.994)
Operated FO	0.913 (0.814, 0.960)	0.913 (0.815, 0.961)
Contralateral FO	0.810 (0.619, 0.911)	0.906 (0.801, 0.957)

FO, femoral offset

Table S3. Primary operator experience within each implant group.

Operator experience	Implant type	
	Modular	Monoblock
Consultant	29.5% (33/112)	31.6% (45/142)
Training registrar	58.9% (66/112)	54.9% (78/142)
Unaccredited registrar /principal house officer	12.5% (14/112)	13.3% (19/142)
Total	100%	100%

P= 0.83 between implant groups

© 2019 Kan et al.

This is an open access article distributed under the terms of the Creative Commons Attribution 4.0 International Public License (CC-BY 4.0), a copy of which is available at: https://creativecommons.org/licenses/by/4.0/legalcode. This license permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.